

Adsorption Isotherms and Kinetics of Ethanol onto Powder and Consolidated Activated Carbon

Islam, Md. Amirul

Kyushu University Program for Leading Graduate School, Green Asia Education Center,
Interdisciplinary Graduate School of Engineering Sciences, Kyushu University | Bangabandhu
Sheikh Mujibur Rahman Science and Technology University

Saha, Bidyut Baran

International Institute for Carbon-Neutral Energy Research(WPI-I2CNER), Kyushu University |
Mechanical Engineering Department, Graduate School of Engineering, Kyushu University

Jribi, Skander

International Institute for Carbon-Neutral Energy Research (WPI-I2CNER), Kyushu University |
Faculty of Engineering Sciences, Kyushu University

Thu, Kyaw

Interdisciplinary Graduate School of Engineering Sciences, Kyushu University | International
Institute for Carbon-Neutral Energy Research (WPI-I2CNER), Kyushu University

他

<https://doi.org/10.15017/1809234>

出版情報 : Proceedings of International Exchange and Innovation Conference on Engineering &
Sciences (IEICES). 2, pp.1-, 2016-10-14. Interdisciplinary Graduate School of Engineering
Sciences, Kyushu University

バージョン :

権利関係 :



Adsorption Isotherms and Kinetics of Ethanol onto Powder and Consolidated Activated Carbon

Md. Amirul Islam^{1,2,*}, Bidyut Baran Saha^{3,4}, Skander Jribi^{3,5}, Kyaw Thu^{6,3}, Takahiko Miyazaki^{3,5,6}, Shigeru Koyama^{3,5,6}

¹ Kyushu University Program for Leading Graduate School, Green Asia Education Center, Interdisciplinary Graduate School of Engineering Sciences, Kyushu University, Kasuga-koen 6-1, Kasuga-shi, Fukuoka 816-8580, Japan

² Bangabandhu Sheikh Mujibur Rahman Science and Technology University, Gopalganj, Bangladesh

³ International Institute for Carbon-Neutral Energy Research (WPI-I²CNER), Kyushu University, 744 Motoooka, Nishi-ku, Fukuoka 819-0395, Japan

⁴ Mechanical Engineering Department, Graduate School of Engineering, Kyushu University, 744 Motoooka, Nishi-ku, Fukuoka 819-0395, Japan

⁵ Faculty of Engineering Sciences, Kyushu University, Kasuga-koen 6-1, Kasuga-shi, Fukuoka 816-8580, Japan

⁶ Interdisciplinary Graduate School of Engineering Sciences, Kyushu University, Kasuga-koen 6-1, Kasuga-shi, Fukuoka 816-8580, Japan

*Corresponding author email: toha_apece@yahoo.com

Abstract: *Adsorption cooling systems (ACS) are a feasible alternative to vapor compression cooling systems as they use natural or low GWP refrigerants and can be driven by low temperature waste heat or solar energy. Consolidated adsorbents are one way to reduce the volume and improve the performance of ACS. In this study, we measured and compared the adsorption characteristics of ethanol onto powder and consolidated activated carbon (AC). The consolidated adsorbent was made of 80% AC powder and 20% binder of type Polyvinylpyrrolidone (PVP). The adsorption isotherms and kinetics were measured using a constructed constant volume variable pressure (CVVP) apparatus. The equilibrium adsorption uptake of ethanol per unit mass of adsorbent agreed fairly with that measured by thermogravimetric analyzer (TGA). We found that the adsorbed mass in consolidated material (powder + binder) were lower of 20% comparing to powder AC. Also, the adsorption rate in powder sample was faster than that of consolidated sample as consolidation decreased the permeability. The measured adsorption characteristics will be helpful in designing more compact and efficient adsorption cooling system.*

Keywords: Adsorption; CVVP; consolidated activated carbon; ethanol; isotherms and kinetics.